



## acrocallosal syndrome

Acrocallosal syndrome is a rare condition characterized by a brain abnormality called agenesis of the corpus callosum, the presence of extra fingers and toes (polydactyly), and distinctive facial features. The signs and symptoms of this disorder are present at birth, and their severity varies widely among affected individuals.

Agenesis of the corpus callosum occurs when the tissue that connects the left and right halves of the brain (the corpus callosum) fails to form normally during the early stages of development before birth. Other brain abnormalities, including the growth of large cysts in brain tissue, have also been reported in people with acrocallosal syndrome. The changes in brain structure associated with this condition lead to delayed development and intellectual disability, which is most often moderate to severe. Some affected individuals also experience seizures.

Extra fingers and toes are common in people with acrocallosal syndrome. The extra digits can be on the same side of the hand or foot as the pinky or little toe (postaxial polydactyly) or on the same side as the thumb or great toe (preaxial polydactyly). Some affected individuals also have webbed or fused skin between the fingers or toes (syndactyly).

Distinctive facial features that can occur with acrocallosal syndrome include widely spaced eyes (hypertelorism) and a high, prominent forehead. Many affected individuals also have an unusually large head size (macrocephaly).

### Frequency

This condition appears to be rare. Only a few dozen cases have been reported in the medical literature.

### Genetic Changes

Mutations in the *KIF7* gene have been found to cause acrocallosal syndrome. Mutations in another gene, *GLI3*, can also cause features of this disorder. However, the signs and symptoms overlap significantly with those of a similar disorder called Greig cephalopolysyndactyly syndrome (which is also caused by *GLI3* gene mutations), so acrocallosal syndrome resulting from *GLI3* gene mutations is sometimes considered a severe form of that condition.

The proteins produced from the *KIF7* and *GLI3* genes play critical roles in the normal shaping (patterning) of many tissues and organs before birth. The proteins are part of a chemical signaling pathway called Sonic Hedgehog signaling. This pathway is involved

in cell growth, cell specialization, and the patterning of structures such as the brain and limbs.

Mutations in either the *KIF7* or *GLI3* gene are thought to impair Sonic Hedgehog signaling, which has wide-ranging effects on development before birth. The roles of these genes in brain and limb patterning may help explain why mutations lead to agenesis of the corpus callosum, polydactyly, and the other features of acrocallosal syndrome.

## **Inheritance Pattern**

When acrocallosal syndrome is caused by *KIF7* gene mutations, it is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Acrocallosal syndrome (or severe Greig cephalopolysyndactyly syndrome) resulting from *GLI3* gene mutations is considered autosomal dominant, which means one copy of the altered gene in each cell is sufficient to cause the disorder. This condition results from new (de novo) mutations in the gene that occur during the formation of reproductive cells (eggs or sperm) or in early embryonic development. These cases occur in people with no history of the disorder in their family.

## **Other Names for This Condition**

- ACLS
- hallux duplication, postaxial polydactyly, and absence of corpus callosum
- Schinzel acrocallosal syndrome
- Schinzel syndrome 1

## **Diagnosis & Management**

### Genetic Testing

- Genetic Testing Registry: Acrocallosal syndrome, Schinzel type  
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0796147/>

### General Information from MedlinePlus

- Diagnostic Tests  
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy  
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling  
<https://medlineplus.gov/geneticcounseling.html>

- Palliative Care  
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation  
<https://medlineplus.gov/surgeryandrehabilitation.html>

## **Additional Information & Resources**

### MedlinePlus

- Encyclopedia: Corpus Callosum of the Brain (image)  
<https://medlineplus.gov/ency/imagepages/8753.htm>
- Encyclopedia: Intellectual Disability  
<https://medlineplus.gov/ency/article/001523.htm>
- Encyclopedia: Polydactyly  
<https://medlineplus.gov/ency/article/003176.htm>
- Health Topic: Craniofacial Abnormalities  
<https://medlineplus.gov/craniofacialabnormalities.html>
- Health Topic: Developmental Disabilities  
<https://medlineplus.gov/developmentaldisabilities.html>

### Genetic and Rare Diseases Information Center

- Acrocallosal syndrome, Schinzel type  
<https://rarediseases.info.nih.gov/diseases/5721/acrocallosal-syndrome-schinzel-type>

### Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Agenesis of the Corpus Callosum  
<https://www.ninds.nih.gov/Disorders/All-Disorders/Agenesis-Corpus-Callosum-Information-Page>

### Educational Resources

- Children's National Health System: Agenesis of the Corpus Callosum  
<https://childrensnational.org/choose-childrens/conditions-and-treatments/fetal-carepregnancy/agenesis-of-the-corpus-callosum>
- Disease InfoSearch: Acrocallosal Syndrome, Schinzel Type  
<http://www.diseaseinfosearch.org/Acrocallosal+Syndrome%2C+Schinzel+Type/137>

- MalaCards: acrocallosal syndrome  
[http://www.malacards.org/card/acrocallosal\\_syndrome](http://www.malacards.org/card/acrocallosal_syndrome)
- Orphanet: Acrocallosal syndrome  
[http://www.orpha.net/consor/cgi-bin/OC\\_Exp.php?Lng=EN&Expert=36](http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=36)

#### Patient Support and Advocacy Resources

- FACES: The National Craniofacial Association  
<http://www.faces-cranio.org/>
- National Organization for Disorders of the Corpus Callosum  
<http://nodcc.org/>
- National Organization for Rare Disorders (NORD): Acrocallosal Syndrome, Schinzel Type  
<https://rarediseases.org/rare-diseases/acrocallosal-syndrome-schinzel-type/>
- The Arc: For People with Intellectual and Developmental Disabilities  
<http://www.thearc.org/>

#### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28acrocallosal+syndrome%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

#### OMIM

- ACROCALLOSAL SYNDROME  
<http://omim.org/entry/200990>

### **Sources for This Summary**

- Courtens W, Vamos E, Christophe C, Schinzel A. Acrocallosal syndrome in an Algerian boy born to consanguineous parents: review of the literature and further delineation of the syndrome. *Am J Med Genet.* 1997 Mar 3;69(1):17-22.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/9066878>
- Elson E, Perveen R, Donnai D, Wall S, Black GC. De novo GLI3 mutation in acrocallosal syndrome: broadening the phenotypic spectrum of GLI3 defects and overlap with murine models. *J Med Genet.* 2002 Nov;39(11):804-6.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12414818>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1735022/>
- Koenig R, Bach A, Woelki U, Grzeschik KH, Fuchs S. Spectrum of the acrocallosal syndrome. *Am J Med Genet.* 2002 Feb 15;108(1):7-11.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11857542>

- Putoux A, Nampoothiri S, Laurent N, Cormier-Daire V, Beales PL, Schinzel A, Bartholdi D, Alby C, Thomas S, Elkhartoufi N, Ichkou A, Litzler J, Munnich A, Encha-Razavi F, Kannan R, Faivre L, Boddaert N, Rauch A, Vekemans M, Attié-Bitach T. Novel KIF7 mutations extend the phenotypic spectrum of acrocallosal syndrome. *J Med Genet.* 2012 Nov;49(11):713-20. doi: 10.1136/jmedgenet-2012-101016.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23125460>
- Putoux A, Thomas S, Coene KL, Davis EE, Alanay Y, Ogur G, Uz E, Buzas D, Gomes C, Patrier S, Bennett CL, Elkhartoufi N, Frison MH, Rigonnot L, Joyé N, Pruvost S, Utine GE, Boduroglu K, Nitschke P, Fertitta L, Thauvin-Robinet C, Munnich A, Cormier-Daire V, Hennekam R, Colin E, Akarsu NA, Bole-Feysot C, Cagnard N, Schmitt A, Goudin N, Lyonnet S, Encha-Razavi F, Siffroi JP, Winey M, Katsanis N, Gonzales M, Vekemans M, Beales PL, Attié-Bitach T. KIF7 mutations cause fetal hydroletharus and acrocallosal syndromes. *Nat Genet.* 2011 Jun;43(6):601-6. doi: 10.1038/ng.826.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/21552264>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3674836/>
- Speksnijder L, Cohen-Overbeek TE, Knapen MF, Lunshof SM, Hoogeboom AJ, van den Ouwenland AM, de Coo IF, Lequin MH, Bolz HJ, Bergmann C, Biesecker LG, Willems PJ, Wessels MW. A de novo GLI3 mutation in a patient with acrocallosal syndrome. *Am J Med Genet A.* 2013 Jun;161A(6):1394-400. doi: 10.1002/ajmg.a.35874.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23633388>

---

Reprinted from Genetics Home Reference:  
<https://ghr.nlm.nih.gov/condition/acrocallosal-syndrome>

Reviewed: January 2017  
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services